

Specifications:



© 2009 Weka Electronics Ltd
 P.O. Box 2102, Stoke, Nelson, 7041
 New Zealand.
 Web: www.wekaelectronics.com
 Email: sales@wekaelectronics.com
 ☎ (+64) 021 99 66 82 Doc:Light Specs V2

Weka Electronics Light Fittings:

Specification	Units	STAR Light	SPACE Light	NOVA Light	NOVA-SPOT Light	Architectural Spot Light	Up/Down Light (Wide Angle)	Up/Down Light (Focused)	Comment
Type		Reading Light	Ceiling Light	Ceiling Light	Ceiling Spot Light	Spot Light	Wall Light	Focused Wall Light	
Interior/Exterior		Interior	Int/Ext	Interior	Interior	Int/Ext	Int/Ext	Int/Ext	
LED module		single	Triple	Triple	Triple	Triple	2 x Triple	2x Triple	
Nominal Power i/p	Watt	1.2	3.7	7.3	7.3	7.3	14.6	10.5	
Max Power i/p	Watt	2.0	4.0	7.5	7.5	10.0	15.0	15.0	
Beam Width (3dB)	+/- °	20	60	60	15	8	60	8	Half power beam width
Beam Width (3dB) as lit diameter at 1meter distance	Meters	0.7	3.4	3.4	0.5	0.3	3.4	0.3	Multiply by actual height in meters to gauge lighting spread. (Half power beam width)
Beam Width (10dB)	+/- °	30	80	80	40	15	80	15	1/10 power beam width
Warm White:									
Light o/p	Lumens	90	270	480	480	480	960	960	
Light o/p	Lux @ 1meter								
Colour Temperature	°K	2600K	2600K	2600K	2600K	2600K	2600K	2600K	
Soft White:									
Light o/p	Lumens	120	360	600	600	600	1200	1200	
Light o/p	Lux @ 1meter								
Colour Temperature	°K	4500K	4500K	4500K	4500K	4500K	4500K		